

PRODUCT CATALOGUE  
제품소개서

PORCELAIN SYSTEM  
포셀린 시스템



**unifur**<sup>®</sup>

## CONTENTS

3	제품개요
4	시공방식
9	선행사례
15	제품목록
	W6213ADE-HT
	W6213APC-HT
	W6213AED-HT
	W6213ARK-HT
	W6213ATI-HT
	W6213ATC-HT
	W6213173I-HT
	W6213173K-HT
	W6213ACF-HT
	W6213ACE-HT
	W6213AIK-HT
	W6213121K-HT
	W6213ACC-HT
	W6213AIC-HT
	W6213AII-HT
	W6213AIE-HT
20	연락정보

## PRODUCT OVERVIEW 제품개요

WORLD-CLASS PORCELAIN IMPORTED BY UNIFUR™

Since natural stone is becoming increasingly scarce, replacements with high performance than them have to be used in station, square and other outdoor places. Outdoor porcelain tiles, for example, are the optimal choice. Thickness of the outdoor tile is up to 2cm. They are made from full body materials and are completely fired.

Ultimately, the breaking strength of our outdoor floor tile or outdoor wall tile reaches average 10220N while that of regular tiles is 1300N or more. In addition, the wear resistance of this outdoor porcelain paving has been up to the third grade. Hence, no matter what outdoor spaces outdoor porcelain tiles are used for, they will bring you peace of mind.


# PRODUCTS APPLICATIONS 시공방식



EXTERIOR WALL CLADDING  
건물 외벽 마감



PAVING ON GRAVEL  
자갈 포장 마감




PAVING WITH CONCRETE  
콘크리트 마감




PAVING ON GRASS  
잔디 포장 마감




PAVING WITH SCREWJACK PEDESTALS  
전용 부품 마감






## OUTDOOR, WALL AND FLOOR

2cm porcelain products are durable and elegant for any kinds of the modern architecture.



현대적인 분위기 연출을 위해 2cm 포셀린을 사용하여 마감된 시공사례입니다. 도시적인 색감과 더불어 세련된 무광택의 표면이 건물의 외관을 한층 고급스럽게 만들어냅니다.

20T



CASE STUDY  
선행사례




유럽지역의 대형건축물 마감재로  
사용된 Medium Grey 계열의 포셀  
린 마감재.


너무 어둡거나 밝지 않아서 오래도  
록 건물의 중후한 외관을 유지할  
수 있게 해줍니다.



W6213AIK-HT



Santagostino Multipurpose Building, Milan



유럽지역의 중소형 주택 마감재로  
사용된 Dark Grey 계열의 포셀린  
마감재.

어두운 포셀린 제품은 바닥 마감을  
비롯한 다양한 부분에 사용될 수  
있으며 사계절 내내 청결한 외관으  
로 유지됩니다.

W6213ARK-HT



Si Sposa Con la Natura



W6213173K-HT



유럽지역의 중소형 건축물의 마감재로 사용된 Warm Grey 계열의 포셀린 마감재.


따뜻한 색감과 고운 표면의 포셀린 제품은 건물 외벽 마감시 온화하고 밝은 느낌을 주며 오래도록 고급스러움을 간직할 수 있게 해줍니다.



W6213AIE-HT



W6213AED-HT



W6213ACE-HT

유럽지역의 중소형 건축물의 마감재로 사용된 Beige Grey 계열의 포셀린 마감재.

중성적인 색감과 다양한 표면 질감의 포셀린 제품은 건물 외벽 마감시 현대적이며 세련된 느낌을 주며 유행을 초월한 도시적 아름다움을 간직할 수 있게 해줍니다.

THICKNESS (MM)

---

20 / 10 / 5.5

SIZE (MM)

---

WIDTH 1200 / 600

HEIGHT 600

---

PRODUCT LIST  
제품목록



**W6213ADE-HT**

1200 x 600 / 600 x 600 and Thickness 5.5 / 10 / 20 (mm)



**W6213APC-HT**

1200 x 600 / 600 x 600 and Thickness 5.5 / 10 / 20 (mm)



**W6213AED-HT**

1200 x 600 / 600 x 600 and Thickness 5.5 / 10 / 20 (mm)



**W6213ARK-HT**

1200 x 600 / 600 x 600 and Thickness 5.5 / 10 / 20 (mm)



**W6213ATI-HT**

1200 x 600 / 600 x 600 and Thickness 5.5 / 10 / 20 (mm)



**W6213ATC-HT**

1200 x 600 / 600 x 600 and Thickness 5.5 / 10 / 20 (mm)



**W6213173I-HT**

1200 x 600 / 600 x 600 and Thickness 5.5 / 10 / 20 (mm)




**W6213173K-HT**

1200 x 600 / 600 x 600 and Thickness 5.5 / 10 / 20 (mm)



**W6213ACF-HT**

1200 x 600 / 600 x 600 and Thickness 5.5 / 10 / 20 (mm)



**W6213ACE-HT**

1200 x 600 / 600 x 600 and Thickness 5.5 / 10 / 20 (mm)



**W6213AIK-HT**

1200 x 600 / 600 x 600 and Thickness 5.5 / 10 / 20 (mm)



**W6213121K-HT**

1200 x 600 / 600 x 600 and Thickness 5.5 / 10 / 20 (mm)



**W6213ACC-HT**

1200 x 600 / 600 x 600 and Thickness 5.5 / 10 / 20 (mm)



**W6213AIC-HT**

1200 x 600 / 600 x 600 and Thickness 5.5 / 10 / 20 (mm)



**W6213AII-HT**

1200 x 600 / 600 x 600 and Thickness 5.5 / 10 / 20 (mm)



**W6213AIE-HT**

1200 x 600 / 600 x 600 and Thickness 5.5 / 10 / 20 (mm)

# CONTACT INFORMATION

## 연락정보

추가 문의사항 및 제품 시공에 관한 문의는 아래의 연락정보를 활용하여 주시기 바랍니다.

### 본사

경기도 구리시 아차산로 367번길 29  
(지번) 경기도 구리시 교문동 457-1  
(우) 11954 (471-803)  
전화: 031-554-0073 / 팩스: 031-554-0075

### 고객상담실

제휴, 입점, 납품, 제품 등 과 관련된 모든 궁금점은 아래에 기재된 정보에 따라 문의 주시면  
성심 성의껏 답변해 드리도록 하겠습니다.

### 운영시간

공휴일, 토/일요일 휴무  
월요일—금요일: 09:30—17:30

전화문의: 031-554-0073  
전자우편: info@unifur.co.kr

### OFFICE

29, Ahasan-ro 367beon-gil, Guri-si, Gyeonggi-do,  
South Korea, Postcode 471-803  
Telephone: +82 31-554-0073 / Facsimile: +82 31-554-0075

### CUSTOMER SERVICE

Please contact us via below contact information regarding collaboration,  
distribution, custom order, and products.

### OPERATION HOURS

Public Holidays, Saturday, Sunday: Closed  
Monday—Friday: 09:30—17:30

Telephone: +82 31-554-0073  
Email: info@unifur.co.kr

본 제품소개서는 주식회사 유니퍼의 제품 홍보 및 기업홍보를 목적으로 제작되었으며 제품의 외관 및 사양등은 제품 향상을 위해 사전 예고 없이 변경될 수 있습니다.

제품소개서의 제품은 주식회사 유니퍼의 소중한 자산으로서 무단 복제시 법적 제재를 받습니다.

사용된 도안과 사진은 법률 제9785호 저작권법에 따라 보호를 받으며 무단복제 및 배포 등을 금지합니다.  
사진 동의 없는 사진, 시각적 구성요소, 글의 사용은 법적 절차에 의하여 사용한 당사자와 단체에 책임을 묻습니다.

ALL CONTENT IS PROPERTY OF UNIFUR™  
ANY CONTENTS CANNOT BE COPIED WITHOUT PERMISSION.  
ALL OTHER COMPANY NAMES AND PRODUCT NAME ARE TRADEMARKS OF THEIR RESPECTIVE OWNERS.  
모든 내용의 소유권은 주식회사 유니퍼가 가지고 있습니다.  
모든 내용은 허가없이 복사해갈수 없습니다.  
표시된 다른 모든 회사명과 고유상표 도안 및 제품명은 해당회사가 권리를 보유합니다.